

# Gong-R - Soporte #54

## Problemas en Gong

2015-06-11 11:28 - Raúl Victoria Martín

<b>Estado:</b>	En curso	<b>Fecha de inicio:</b>	2015-06-11
<b>Prioridad:</b>	Urgente (Grave)	<b>Fecha fin:</b>	
<b>Asignado a:</b>		<b>% Realizado:</b>	0%
<b>Categoría:</b>		<b>Tiempo estimado:</b>	0.00 hora
<b>Versión prevista:</b>			

### Descripción

Hola,  
estamos teniendo problemas en una de nuestras instalaciones. Al crear la matriz en Gong Reporte nos da un error. Lo hemos investigado un poco por encima y parece que el error viene de Gong.

PILA de error de GONG al llamar al servicio "matriz\_seguimiento"

Started GET

"/webservice/proyectos/7/matriz\_seguimiento.xml?access\_token=9eb202125e2ed1fdb9f0bea2aa8f3dfaee279db250d68c8dbb379ba8eb0dad0f" for 104.45.21.165 at 2015-06-11 09:12:58 +0000

Processing by Webservice::ProyectosController#matriz\_seguimiento as XML

Parameters: {"access\_token"=>"9eb202125e2ed1fdb9f0bea2aa8f3dfaee279db250d68c8dbb379ba8eb0dad0f", "seccion"=>"proyectos", "proyecto\_id"=>"7"}

```
Proyecto Load (0.7ms) SELECT `proyecto`.* FROM `proyecto` WHERE `proyecto`.`id` = 7 LIMIT 1
DefinicionEstado Load (0.6ms) SELECT `definicion_estado`.* FROM `definicion_estado` INNER JOIN `estado` ON `definicion_estado`.`id` = `estado`.`definicion_estado_id` WHERE `estado`.`proyecto_id` = 7 AND (estado.estado_actual) LIMIT 1
Doorkeeper::AccessToken Load (0.6ms) SELECT `oauth_access_tokens`.* FROM `oauth_access_tokens` WHERE `oauth_access_tokens`.`token` = '9eb202125e2ed1fdb9f0bea2aa8f3dfaee279db250d68c8dbb379ba8eb0dad0f' LIMIT 1
Periodo Load (2.2ms) SELECT `periodo`.* FROM `periodo` WHERE `periodo`.`proyecto_id` = 7 AND `periodo`.`id` IS NULL LIMIT 1
Estado Load (1.7ms) SELECT `estado`.* FROM `estado` WHERE `estado`.`proyecto_id` = 7
DefinicionEstado Load (3.3ms) SELECT `definicion_estado`.* FROM `definicion_estado` WHERE `definicion_estado`.`id` IN (1, 2, 3, 8, 9, 10, 5)
(1.9ms) SELECT COUNT() FROM `etapa` WHERE `etapa`.`proyecto_id` = 7
Etapa Load (1.2ms) SELECT `etapa`. FROM `etapa` WHERE `etapa`.`proyecto_id` = 7 ORDER BY nombre
Actividad Load (1.6ms) SELECT `actividad`.* FROM `actividad` WHERE `actividad`.`proyecto_id` = 7 AND `actividad`.`resultado_id` IS NULL ORDER BY actividad.codigo
ObjetivoGeneral Load (2.5ms) SELECT `objetivo_general`.* FROM `objetivo_general` WHERE `objetivo_general`.`proyecto_id` = 7 LIMIT 1
ObjetivoEspecifico Load (2.9ms) SELECT `objetivo_especifico`.* FROM `objetivo_especifico` WHERE `objetivo_especifico`.`proyecto_id` = 7 ORDER BY objetivo_especifico.codigo
Comentario Load (1.1ms) SELECT `comentario`.* FROM `comentario` WHERE `comentario`.`objetivo_especifico_id` = 1
Hipotesis Load (0.5ms) SELECT `hipotesis`.* FROM `hipotesis` WHERE `hipotesis`.`objetivo_especifico_id` = 1
Indicador Load (1.6ms) SELECT `indicador`.* FROM `indicador` WHERE `indicador`.`objetivo_especifico_id` = 1 ORDER BY indicador.codigo
Resultado Load (1.3ms) SELECT `resultado`.* FROM `resultado` WHERE `resultado`.`objetivo_especifico_id` = 1 ORDER BY resultado.codigo
VariableIndicador Load (0.7ms) SELECT `variable_indicador`.* FROM `variable_indicador` WHERE `variable_indicador`.`indicador_id` = 1
FuenteVerificacion Load (1.3ms) SELECT `fuente_verificacion`.* FROM `fuente_verificacion` WHERE `fuente_verificacion`.`indicador_id` = 1
Comentario Load (0.6ms) SELECT `comentario`.* FROM `comentario` WHERE `comentario`.`indicador_id` = 1
ValorVariableIndicador Load (1.3ms) SELECT `valor_variable_indicador`.* FROM `valor_variable_indicador` WHERE `valor_variable_indicador`.`id` = 2 LIMIT 1
```

ValorVariableIndicador Load (2.0ms) SELECT `valor\_variable\_indicador`.\* FROM `valor\_variable\_indicador` WHERE `valor\_variable\_indicador`.`id` = 1 LIMIT 1

Indicador Load (0.5ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`id` = 1 LIMIT 1

ObjetivoEspecifico Load (1.1ms) SELECT `objetivo\_especifico`.\* FROM `objetivo\_especifico` WHERE `objetivo\_especifico`.`id` = 1 LIMIT 1

CACHE (0.0ms) SELECT `proyecto`.\* FROM `proyecto` WHERE `proyecto`.`id` = 7 LIMIT 1

Periodo Load (0.9ms) SELECT `periodo`.\* FROM `periodo` WHERE `periodo`.`proyecto\_id` = 7 AND `periodo`.`tipo\_periodo\_id` IN (1, 2) ORDER BY fecha\_inicio

ValorVariableIndicador Load (1.1ms) SELECT `valor\_variable\_indicador`.\* FROM `valor\_variable\_indicador` WHERE `valor\_variable\_indicador`.`variable\_indicador\_id` = 1 AND (fecha <= '2015-12-24') ORDER BY fecha DESC LIMIT 1

VariableIndicador Load (1.6ms) SELECT `variable\_indicador`.\* FROM `variable\_indicador` WHERE `variable\_indicador`.`indicador\_id` = 3

FuenteVerificacion Load (1.5ms) SELECT `fuente\_verificacion`.\* FROM `fuente\_verificacion` WHERE `fuente\_verificacion`.`indicador\_id` = 3

Comentario Load (1.6ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`indicador\_id` = 3

ValorVariableIndicador Load (0.9ms) SELECT `valor\_variable\_indicador`.\* FROM `valor\_variable\_indicador` WHERE `valor\_variable\_indicador`.`id` = 3 LIMIT 1

ValorVariableIndicador Load (1.4ms) SELECT `valor\_variable\_indicador`.\* FROM `valor\_variable\_indicador` WHERE `valor\_variable\_indicador`.`id` = 4 LIMIT 1

Indicador Load (1.5ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`id` = 3 LIMIT 1

CACHE (0.0ms) SELECT `objetivo\_especifico`.\* FROM `objetivo\_especifico` WHERE `objetivo\_especifico`.`id` = 1 LIMIT 1

CACHE (0.0ms) SELECT `proyecto`.\* FROM `proyecto` WHERE `proyecto`.`id` = 7 LIMIT 1

CACHE (0.0ms) SELECT `periodo`.\* FROM `periodo` WHERE `periodo`.`proyecto\_id` = 7 AND `periodo`.`tipo\_periodo\_id` IN (1, 2) ORDER BY fecha\_inicio

ValorVariableIndicador Load (0.7ms) SELECT `valor\_variable\_indicador`.\* FROM `valor\_variable\_indicador` WHERE `valor\_variable\_indicador`.`variable\_indicador\_id` = 2 AND (fecha <= '2015-12-24') ORDER BY fecha DESC LIMIT 1

Comentario Load (0.5ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`resultado\_id` = 3

Hipotesis Load (0.6ms) SELECT `hipotesis`.\* FROM `hipotesis` WHERE `hipotesis`.`resultado\_id` = 3

Indicador Load (2.1ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`resultado\_id` = 3 ORDER BY codigo

Actividad Load (0.7ms) SELECT `actividad`.\* FROM `actividad` WHERE `actividad`.`resultado\_id` = 3 ORDER BY actividad.codigo

Comentario Load (1.3ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`resultado\_id` = 4

Hipotesis Load (0.6ms) SELECT `hipotesis`.\* FROM `hipotesis` WHERE `hipotesis`.`resultado\_id` = 4

Indicador Load (0.9ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`resultado\_id` = 4 ORDER BY codigo

Actividad Load (3.4ms) SELECT `actividad`.\* FROM `actividad` WHERE `actividad`.`resultado\_id` = 4 ORDER BY actividad.codigo

Comentario Load (1.7ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`resultado\_id` = 5

Hipotesis Load (0.8ms) SELECT `hipotesis`.\* FROM `hipotesis` WHERE `hipotesis`.`resultado\_id` = 5

Indicador Load (0.8ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`resultado\_id` = 5 ORDER BY codigo

Actividad Load (0.8ms) SELECT `actividad`.\* FROM `actividad` WHERE `actividad`.`resultado\_id` = 5 ORDER BY actividad.codigo

Comentario Load (0.7ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`resultado\_id` = 6

Hipotesis Load (0.8ms) SELECT `hipotesis`.\* FROM `hipotesis` WHERE `hipotesis`.`resultado\_id` = 6

Indicador Load (3.4ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`resultado\_id` = 6 ORDER BY codigo

Actividad Load (1.0ms) SELECT `actividad`.\* FROM `actividad` WHERE `actividad`.`resultado\_id` = 6 ORDER BY actividad.codigo

Comentario Load (0.6ms) SELECT `comentario`.\* FROM `comentario` WHERE `comentario`.`resultado\_id` = 8

Hipotesis Load (1.7ms) SELECT `hipotesis`.\* FROM `hipotesis` WHERE `hipotesis`.`resultado\_id` = 8

Indicador Load (0.9ms) SELECT `indicador`.\* FROM `indicador` WHERE `indicador`.`resultado\_id` = 8 ORDER BY codigo

Actividad Load (0.8ms) SELECT `actividad`.\* FROM `actividad` WHERE `actividad`.`resultado\_id` = 8 ORDER BY actividad.codigo

(1.0ms) SELECT SUM AS sum\_id FROM `presupuesto` LEFT OUTER JOIN `presupuesto\_x\_actividad` ON `presupuesto\_x\_actividad`.`presupuesto\_id` = `presupuesto`.`id` LEFT OUTER JOIN `tasa\_cambio` ON `tasa\_cambio`.`id` = `presupuesto`.`tasa\_cambio\_id` WHERE `presupuesto\_x\_actividad`.`actividad\_id` IN (1, 8, 12, 13, 14, 15, 16) AND `presupuesto`.`proyecto\_id` = 7

VariableIndicador Load (1.3ms) SELECT `variable\_indicador`.\* FROM `variable\_indicador` WHERE `variable\_indicador`.`indicador\_id` = 6

FuenteVerificacion Load (1.7ms) SELECT `fuente\_verificacion`.\* FROM `fuente\_verificacion` WHERE

```

`fuente_verificacion`.`indicador_id` = 6
Comentario Load (2.2ms) SELECT `comentario`.* FROM `comentario` WHERE `comentario`.`indicador_id` = 6
ValorVariableIndicador Load (0.9ms) SELECT `valor_variable_indicador`.* FROM `valor_variable_indicador` WHERE
`valor_variable_indicador`.`id` = 5 LIMIT 1
ValorVariableIndicador Load (1.3ms) SELECT `valor_variable_indicador`.* FROM `valor_variable_indicador` WHERE
`valor_variable_indicador`.`id` = 6 LIMIT 1
Indicador Load (0.9ms) SELECT `indicador`.* FROM `indicador` WHERE `indicador`.`id` = 6 LIMIT 1
Resultado Load (0.8ms) SELECT `resultado`.* FROM `resultado` WHERE `resultado`.`id` = 3 LIMIT 1
CACHE (0.0ms) SELECT `proyecto`.* FROM `proyecto` WHERE `proyecto`.`id` = 7 LIMIT 1
CACHE (0.0ms) SELECT `periodo`.* FROM `periodo` WHERE `periodo`.`proyecto_id` = 7 AND `periodo`.`tipo_periodo_id` IN (1, 2)
ORDER BY fecha_inicio
ValorVariableIndicador Load (1.3ms) SELECT `valor_variable_indicador`.* FROM `valor_variable_indicador` WHERE
`valor_variable_indicador`.`variable_indicador_id` = 3 AND (fecha <= '2015-12-24') ORDER BY fecha DESC LIMIT 1
VariableIndicador Load (0.8ms) SELECT `variable_indicador`.* FROM `variable_indicador` WHERE
`variable_indicador`.`indicador_id` = 7
FuenteVerificacion Load (2.8ms) SELECT `fuente_verificacion`.* FROM `fuente_verificacion` WHERE
`fuente_verificacion`.`indicador_id` = 7
Comentario Load (1.4ms) SELECT `comentario`.* FROM `comentario` WHERE `comentario`.`indicador_id` = 7
ValorVariableIndicador Load (1.0ms) SELECT `valor_variable_indicador`.* FROM `valor_variable_indicador` WHERE
`valor_variable_indicador`.`id` = 7 LIMIT 1
Rendered /usr/share/gong/plugins/websevice/app/views/websevice/proyectos/matriz.rabl (201.6ms)
Completed 500 Internal Server Error in 228ms
ActionView::Template::Error (undefined method `valor' for nil:NilClass):
 1: object @elemento => params[:action]
 2:
 3: node :pac do
 4:   partial 'websevice/convenios/datos_pac', :object => @pac
/usr/share/gong/plugins/websevice/app/views/websevice/proyectos/indicador.rabl:10:in `block (2 levels) in eval_source'
rabl (0.11.6) lib/rabl/builder.rb:152:in `call'
rabl (0.11.6) lib/rabl/builder.rb:152:in `node'
rabl (0.11.6) lib/rabl/builder.rb:114:in `block in compile_settings'
rabl (0.11.6) lib/rabl/builder.rb:113:in `each'
rabl (0.11.6) lib/rabl/builder.rb:113:in `compile_settings'
rabl (0.11.6) lib/rabl/builder.rb:58:in `block in to_hash'
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache_results'
rabl (0.11.6) lib/rabl/builder.rb:49:in `to_hash'
rabl (0.11.6) lib/rabl/multi_builder.rb:27:in `map'
rabl (0.11.6) lib/rabl/multi_builder.rb:27:in `to_a'
rabl (0.11.6) lib/rabl/engine.rb:88:in `to_hash'
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache_results'
rabl (0.11.6) lib/rabl/engine.rb:47:in `render'
rabl (0.11.6) lib/rabl/builder.rb:124:in `block (2 levels) in merge_engines_into_result'
rabl (0.11.6) lib/rabl/builder.rb:123:in `each'
rabl (0.11.6) lib/rabl/builder.rb:123:in `block in merge_engines_into_result'
rabl (0.11.6) lib/rabl/builder.rb:119:in `each'
rabl (0.11.6) lib/rabl/builder.rb:119:in `merge_engines_into_result'
rabl (0.11.6) lib/rabl/builder.rb:55:in `block in to_hash'
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache_results'
rabl (0.11.6) lib/rabl/builder.rb:49:in `to_hash'
rabl (0.11.6) lib/rabl/engine.rb:86:in `to_hash'
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache_results'

```

rabl (0.11.6) lib/rabl/engine.rb:47:in `render'  
rabl (0.11.6) lib/rabl/builder.rb:127:in `block in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:55:in `block in to\_hash'  
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache\_results'  
rabl (0.11.6) lib/rabl/builder.rb:49:in `to\_hash'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `map'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `to\_a'  
rabl (0.11.6) lib/rabl/engine.rb:88:in `to\_hash'  
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'  
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache\_results'  
rabl (0.11.6) lib/rabl/engine.rb:47:in `render'  
rabl (0.11.6) lib/rabl/builder.rb:124:in `block (2 levels) in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `block in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:55:in `block in to\_hash'  
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache\_results'  
rabl (0.11.6) lib/rabl/builder.rb:49:in `to\_hash'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `map'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `to\_a'  
rabl (0.11.6) lib/rabl/engine.rb:88:in `to\_hash'  
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'  
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache\_results'  
rabl (0.11.6) lib/rabl/engine.rb:47:in `render'  
rabl (0.11.6) lib/rabl/builder.rb:124:in `block (2 levels) in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `block in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:55:in `block in to\_hash'  
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache\_results'  
rabl (0.11.6) lib/rabl/builder.rb:49:in `to\_hash'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `map'  
rabl (0.11.6) lib/rabl/multi\_builder.rb:27:in `to\_a'  
rabl (0.11.6) lib/rabl/engine.rb:88:in `to\_hash'  
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'  
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache\_results'  
rabl (0.11.6) lib/rabl/engine.rb:47:in `render'  
rabl (0.11.6) lib/rabl/builder.rb:124:in `block (2 levels) in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:123:in `block in merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `each'  
rabl (0.11.6) lib/rabl/builder.rb:119:in `merge\_engines\_into\_result'  
rabl (0.11.6) lib/rabl/builder.rb:55:in `block in to\_hash'  
rabl (0.11.6) lib/rabl/builder.rb:248:in `cache\_results'  
rabl (0.11.6) lib/rabl/builder.rb:49:in `to\_hash'  
rabl (0.11.6) lib/rabl/engine.rb:86:in `to\_hash'  
rabl (0.11.6) lib/rabl/engine.rb:141:in `to\_xml'  
rabl (0.11.6) lib/rabl/engine.rb:48:in `block in render'  
rabl (0.11.6) lib/rabl/engine.rb:382:in `cache\_results'

rabl (0.11.6) lib/rabl/engine.rb:47:in `render'  
/usr/share/gong/plugins/websevice/app/views/websevice/proyectos/matriz.rabl:1:in  
`\_\_usr\_share\_gong\_plugins\_websevice\_app\_views\_websevice\_proyectos\_matriz\_rabl\_\_2339767350534765873\_65436260'  
actionpack (3.2.9) lib/action\_view/template.rb:145:in `block in render'  
activesupport (3.2.9) lib/active\_support/notifications.rb:125:in `instrument'  
actionpack (3.2.9) lib/action\_view/template.rb:143:in `render'  
actionpack (3.2.9) lib/action\_view/renderers/template\_renderer.rb:47:in `block (2 levels) in render\_template'  
actionpack (3.2.9) lib/action\_view/renderers/abstract\_renderer.rb:38:in `block in instrument'  
activesupport (3.2.9) lib/active\_support/notifications.rb:123:in `block in instrument'  
activesupport (3.2.9) lib/active\_support/notifications/instrumenter.rb:20:in `instrument'  
activesupport (3.2.9) lib/active\_support/notifications.rb:123:in `instrument'  
actionpack (3.2.9) lib/action\_view/renderers/abstract\_renderer.rb:38:in `instrument'  
actionpack (3.2.9) lib/action\_view/renderers/template\_renderer.rb:46:in `block in render\_template'  
actionpack (3.2.9) lib/action\_view/renderers/template\_renderer.rb:54:in `render\_with\_layout'  
actionpack (3.2.9) lib/action\_view/renderers/template\_renderer.rb:45:in `render\_template'  
actionpack (3.2.9) lib/action\_view/renderers/template\_renderer.rb:18:in `render'  
actionpack (3.2.9) lib/action\_view/renderers/renderer.rb:36:in `render\_template'  
actionpack (3.2.9) lib/action\_view/renderers/renderer.rb:17:in `render'  
actionpack (3.2.9) lib/abstract\_controller/rendering.rb:110:in `render\_template'  
actionpack (3.2.9) lib/action\_controller/metal/streaming.rb:225:in `\_render\_template'  
actionpack (3.2.9) lib/abstract\_controller/rendering.rb:103:in `render\_to\_body'  
actionpack (3.2.9) lib/action\_controller/metal/renderers.rb:28:in `render\_to\_body'  
actionpack (3.2.9) lib/action\_controller/metal/compatibility.rb:50:in `render\_to\_body'  
actionpack (3.2.9) lib/abstract\_controller/rendering.rb:88:in `render'  
actionpack (3.2.9) lib/action\_controller/metal/rendering.rb:16:in `render'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:40:in `block (2 levels) in render'  
activesupport (3.2.9) lib/active\_support/core\_ext/benchmark.rb:5:in `block in ms'  
/home/azureuser/.rvm/rubies/ruby-1.9.3-p551/lib/ruby/1.9.1/benchmark.rb:295:in `realtime'  
activesupport (3.2.9) lib/active\_support/core\_ext/benchmark.rb:5:in `ms'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:40:in `block in render'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:83:in `cleanup\_view\_runtime'  
activerecord (3.2.9) lib/active\_record/railties/controller\_runtime.rb:24:in `cleanup\_view\_runtime'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:39:in `render'  
/usr/share/gong/plugins/websevice/app/controllers/websevice/proyectos\_controller.rb:86:in `matriz\_seguimiento'  
actionpack (3.2.9) lib/action\_controller/metal/implicit\_render.rb:4:in `send\_action'  
actionpack (3.2.9) lib/abstract\_controller/base.rb:167:in `process\_action'  
actionpack (3.2.9) lib/action\_controller/metal/rendering.rb:10:in `process\_action'  
actionpack (3.2.9) lib/abstract\_controller/callbacks.rb:18:in `block in process\_action'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:469:in  
`\_run\_\_3113263115930078770\_\_process\_action\_\_4057022158230998230\_\_callbacks'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:405:in `\_\_run\_callback'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:385:in `\_run\_process\_action\_callbacks'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:81:in `run\_callbacks'  
actionpack (3.2.9) lib/abstract\_controller/callbacks.rb:17:in `process\_action'  
actionpack (3.2.9) lib/action\_controller/metal/rescue.rb:29:in `process\_action'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:30:in `block in process\_action'  
activesupport (3.2.9) lib/active\_support/notifications.rb:123:in `block in instrument'  
activesupport (3.2.9) lib/active\_support/notifications/instrumenter.rb:20:in `instrument'  
activesupport (3.2.9) lib/active\_support/notifications.rb:123:in `instrument'  
actionpack (3.2.9) lib/action\_controller/metal/instrumentation.rb:29:in `process\_action'  
actionpack (3.2.9) lib/action\_controller/metal/params\_wrapper.rb:207:in `process\_action'  
activerecord (3.2.9) lib/active\_record/railties/controller\_runtime.rb:18:in `process\_action'  
actionpack (3.2.9) lib/abstract\_controller/base.rb:121:in `process'

actionpack (3.2.9) lib/abstract\_controller/rendering.rb:45:in `process'  
actionpack (3.2.9) lib/action\_controller/metal.rb:203:in `dispatch'  
actionpack (3.2.9) lib/action\_controller/metal/rack\_delegation.rb:14:in `dispatch'  
actionpack (3.2.9) lib/action\_controller/metal.rb:246:in `block in action'  
actionpack (3.2.9) lib/action\_dispatch/routing/route\_set.rb:73:in `call'  
actionpack (3.2.9) lib/action\_dispatch/routing/route\_set.rb:73:in `dispatch'  
actionpack (3.2.9) lib/action\_dispatch/routing/route\_set.rb:36:in `call'  
journey (1.0.4) lib/journey/router.rb:68:in `block in call'  
journey (1.0.4) lib/journey/router.rb:56:in `each'  
journey (1.0.4) lib/journey/router.rb:56:in `call'  
actionpack (3.2.9) lib/action\_dispatch/routing/route\_set.rb:601:in `call'  
railties (3.2.9) lib/rails/engine.rb:479:in `call'  
railties (3.2.9) lib/rails/railtie/configurable.rb:30:in `method\_missing'  
journey (1.0.4) lib/journey/router.rb:68:in `block in call'  
journey (1.0.4) lib/journey/router.rb:56:in `each'  
journey (1.0.4) lib/journey/router.rb:56:in `call'  
actionpack (3.2.9) lib/action\_dispatch/routing/route\_set.rb:601:in `call'  
galetahub-simple\_captcha (0.1.5) lib/simple\_captcha/middleware.rb:20:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/best\_standards\_support.rb:17:in `call'  
rack (1.4.5) lib/rack/etag.rb:23:in `call'  
rack (1.4.5) lib/rack/conditionalget.rb:25:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/head.rb:14:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/params\_parser.rb:21:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/flash.rb:242:in `call'  
rack (1.4.5) lib/rack/session/abstract/id.rb:210:in `context'  
rack (1.4.5) lib/rack/session/abstract/id.rb:205:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/cookies.rb:341:in `call'  
activerecord (3.2.9) lib/active\_record/query\_cache.rb:64:in `call'  
activerecord (3.2.9) lib/active\_record/connection\_adapters/abstract/connection\_pool.rb:479:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/callbacks.rb:28:in `block in call'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:405:in  
`\_\_run\_\_1846763209855262218\_\_call\_\_3330523736725182172\_\_callbacks'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:405:in `\_\_run\_callback'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:385:in `\_\_run\_call\_callbacks'  
activesupport (3.2.9) lib/active\_support/callbacks.rb:81:in `run\_callbacks'  
actionpack (3.2.9) lib/action\_dispatch/middleware/callbacks.rb:27:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/remote\_ip.rb:31:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/debug\_exceptions.rb:16:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/show\_exceptions.rb:56:in `call'  
railties (3.2.9) lib/rails/rack/logger.rb:32:in `call\_app'  
railties (3.2.9) lib/rails/rack/logger.rb:18:in `call'  
actionpack (3.2.9) lib/action\_dispatch/middleware/request\_id.rb:22:in `call'  
rack (1.4.5) lib/rack/methodoverride.rb:21:in `call'  
rack (1.4.5) lib/rack/runtime.rb:17:in `call'  
activesupport (3.2.9) lib/active\_support/cache/strategy/local\_cache.rb:72:in `call'  
rack (1.4.5) lib/rack/lock.rb:15:in `call'  
rack-cache (1.2) lib/rack/cache/context.rb:136:in `forward'  
rack-cache (1.2) lib/rack/cache/context.rb:245:in `fetch'  
rack-cache (1.2) lib/rack/cache/context.rb:185:in `lookup'  
rack-cache (1.2) lib/rack/cache/context.rb:66:in `call!'  
rack-cache (1.2) lib/rack/cache/context.rb:51:in `call'  
railties (3.2.9) lib/rails/engine.rb:479:in `call'  
railties (3.2.9) lib/rails/application.rb:223:in `call'

```
railties (3.2.9) lib/rails/railtie/configurable.rb:30:in `method_missing'
passenger (3.0.18) lib/phusion_passenger/rack/request_handler.rb:96:in `process_request'
passenger (3.0.18) lib/phusion_passenger/abstract_request_handler.rb:516:in `accept_and_process_next_request'
passenger (3.0.18) lib/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
passenger (3.0.18) lib/phusion_passenger/rack/application_spawner.rb:206:in `start_request_handler'
passenger (3.0.18) lib/phusion_passenger/rack/application_spawner.rb:171:in `block in handle_spawn_application'
passenger (3.0.18) lib/phusion_passenger/utils.rb:470:in `safe_fork'
passenger (3.0.18) lib/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_application'
passenger (3.0.18) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
passenger (3.0.18) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
passenger (3.0.18) lib/phusion_passenger/abstract_server.rb:180:in `start'
passenger (3.0.18) lib/phusion_passenger/rack/application_spawner.rb:129:in `start'
passenger (3.0.18) lib/phusion_passenger/spawn_manager.rb:253:in `block (2 levels) in spawn_rack_application'
passenger (3.0.18) lib/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
passenger (3.0.18) lib/phusion_passenger/spawn_manager.rb:246:in `block in spawn_rack_application'
passenger (3.0.18) lib/phusion_passenger/abstract_server_collection.rb:82:in `block in synchronize'
<internal:prelude>:10:in `synchronize'
passenger (3.0.18) lib/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
passenger (3.0.18) lib/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'
passenger (3.0.18) lib/phusion_passenger/spawn_manager.rb:137:in `spawn_application'
passenger (3.0.18) lib/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
passenger (3.0.18) lib/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
passenger (3.0.18) lib/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
passenger (3.0.18) helper-scripts/passenger-spawn-server:99:in `<main>'
```

## Histórico

### #1 - 2015-06-11 12:39 - Cristina Miranda

Por favor, indica la versión sobre la que está ocurriendo el error, si es una instalación nueva o cualquier otra circunstancia para contextualizar este problema.

### #2 - 2015-06-17 11:56 - Redmine Admin

- Estado cambiado Nueva por En curso

### #3 - 2015-06-17 12:26 - Raúl Victoria Martín

La versión es la 1.1.1 de Gong Reporte.

### #4 - 2015-06-26 12:05 - Jaime Ortíz

Se trataba de indicadores con variables que no tenían un valor base o un valor objetivo. Aunque en principio es una opción no habitual, GONG permite esa caso y el WS no lo comprobaba.

Corregido.

Pendiente de validación.

### #5 - 2015-06-26 12:34 - Redmine Admin

- Añadido Fichero indicador.rabl

- Estado cambiado En curso por Resuelta

Se ha modificado un archivo en la generación del webservice de los indicadores.

```
\webservice\app\views\webservice\proyectos\indicador.rabl
```

La modificación consiste en comprobar si existe valor objetivo y valor base.

Adjunto archivo.

```
object @indicador
  attributes :id, :codigo, :descripcion

  child :variable_indicador, :root => "variable" do
    attributes :nombre, :herramienta_medicion, :fuente_informacion, :contexto
    node :linea_base do |variable_indicador|
      variable_indicador.valor_base.valor if variable_indicador.valor_base
    end
    node :meta_final do |variable_indicador|
      variable_indicador.valor_objetivo.valor if variable_indicador.valor_objetivo
    end
    node :estado_periodos do |variable_indicador|
      variable_indicador.estado_seguimiento(@fecha_fin)
    end unless @solo_formulacion
  end

  child :fuente_verificacion do
    attribute :indicador_id => :id
    attributes :codigo, :descripcion
    attributes :completada unless @solo_formulacion
  end

  child :comentario do
    attributes :texto => :texto
    node :fecha, :type => :date do |comentario|
      comentario.created_at.to_date.to_formatted_s(:db)
    end
  end unless @solo_formulacion
```

#### #6 - 2015-07-02 12:05 - Cristina Miranda

- Estado cambiado Resuelta por En curso

- Prioridad cambiado Normal (Leve) por Urgente (Grave)

¿en que versión se ha realizado esta modificación? Añadir enlace.

#### Ficheros

indicador.rabl

913 Bytes

2015-06-26

Redmine Admin