

Error al ordenar el listado de presupuestos por partida (en presupuestos por partida)

2011-09-20 10:21 - Jaime Ortiz

Estado:	Resuelta	Fecha de inicio:	2011-09-20
Prioridad:	Normal	Fecha fin:	
Asignado a:	Santiago Ramos	% Realizado:	100%
Categoría:	Desarrollo	Tiempo estimado:	1.00 hora
Versión prevista:	2.8		
Version:			

Descripción

Se ha comprobado en pre-produccion y en desarrollo

Se copia el error:

ActiveRecord::StatementInvalid in Presupuesto proyectosController#listado

Mysql::Error: You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '1 DESC LIMIT 0, 30' at line 1: SELECT `presupuesto`.`id` AS t0_r0, `presupuesto`.`importe` AS t0_r1, `presupuesto`.`concepto` AS t0_r2, `presupuesto`.`observaciones` AS t0_r3, `presupuesto`.`partida_id` AS t0_r4, `presupuesto`.`moneda_id` AS t0_r5, `presupuesto`.`agente_id` AS t0_r6, `presupuesto`.`libro_id` AS t0_r7, `presupuesto`.`coste_unitario` AS t0_r8, `presupuesto`.`numero_unidades` AS t0_r9, `presupuesto`.`subpartida_id` AS t0_r10, `presupuesto`.`unidad` AS t0_r11, `presupuesto`.`proyecto_id` AS t0_r12, `presupuesto`.`tasa_cambio` AS t0_r13, `presupuesto`.`etapa_id` AS t0_r14, `presupuesto`.`marcado_id` AS t0_r15, `partida`.`id` AS t1_r0, `partida`.`nombre` AS t1_r1, `partida`.`codigo` AS t1_r2, `partida`.`descripcion` AS t1_r3, `partida`.`tipo` AS t1_r4, `libro`.`id` AS t2_r0, `libro`.`nombre` AS t2_r1, `libro`.`moneda_id` AS t2_r2, `libro`.`agente_id` AS t2_r3, `libro`.`cuenta` AS t2_r4, `libro`.`descripcion` AS t2_r5, `libro`.`tipo` AS t2_r6, `libro`.`pais_id` AS t2_r7, `libro`.`iban` AS t2_r8, `libro`.`swift` AS t2_r9, `subpartida`.`id` AS t3_r0, `subpartida`.`nombre` AS t3_r1, `subpartida`.`proyecto_id` AS t3_r2, `subpartida`.`created_at` AS t3_r3, `subpartida`.`updated_at` AS t3_r4, `subpartida`.`numero` AS t3_r5 FROM `presupuesto` LEFT OUTER JOIN `partida` ON `partida`.`id` = `presupuesto`.`partida_id` LEFT OUTER JOIN `libro` ON `libro`.`id` = `presupuesto`.`libro_id` LEFT OUTER JOIN `subpartida` ON `subpartida`.`id` = `presupuesto`.`subpartida_id` WHERE (`presupuesto`.`proyecto_id` = 1) ORDER BY partida.codigo_nombre 1 DESC LIMIT 0, 30

RAILS_ROOT: /home/jaime/sincronizada/gor

Application Trace | Framework Trace | Full Trace

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in `select_all_without_query_cache'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1617:in `select_all_rows'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1395:in `find_with_associations'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `catch'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `find_with_associations'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:1546:in `find_every'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:615:in `find'

/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `send'

/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `paginate'

/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/collection.rb:87:in `create'

/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:76:in `paginate'

/home/jaime/sincronizada/gor/app/controllers/presupuesto_proyectos_controller.rb:100:in `listado'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in `select_all_without_query_cache'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1617:in `select_all_rows'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1395:in `find_with_associations'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `catch'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `find_with_associations'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:1546:in `find_every'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:615:in `find'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `send'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `paginate'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/collection.rb:87:in `create'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:76:in `paginate'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:1331:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:1331:in `perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:617:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:610:in `perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.3.5/lib/active_support/core_ext/benchmark.rb:17:in `ms'
/usr/lib/ruby/1.8/benchmark.rb:308:in `realtime'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.3.5/lib/active_support/core_ext/benchmark.rb:17:in `ms'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/rescue.rb:160:in `perform_action_without_flash'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/flash.rb:146:in `perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:532:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:532:in `process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:606:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:391:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:386:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/routing/route_set.rb:437:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:87:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:121:in `_call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:130:in `build_middleware_stack'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/string_coercion.rb:25:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/string_coercion.rb:25:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/params_parser.rb:15:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/session/abstract_store.rb:122:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:29:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:9:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:28:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/failsafe.rb:26:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:114:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/reloader.rb:34:in `run'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:108:in `call'
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/rack/static.rb:31:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:46:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:40:in `each'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:40:in `call'
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/rack/log_tailer.rb:17:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/content_length.rb:13:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/handler/webrick.rb:50:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'

/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/handler/webrick.rb:14:in `run'
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/commands/server.rb:111
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_original_require'
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:31:in `require'
script/server:3

/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract_adapter.rb:219:in `log'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:323:in `execute'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/mysql_adapter.rb:608:in `select'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in
`select_all_without_query_cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:81:in `cache_sql'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:60:in `select_all'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1617:in `select_all_rows'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1395:in `find_with_associations'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `catch'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations.rb:1393:in `find_with_associations'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:1546:in `find_every'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/base.rb:615:in `find'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `send'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:82:in `paginate'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/collection.rb:87:in `create'
/usr/lib/ruby/gems/1.8/gems/mislav-will_paginate-2.2.3/lib/will_paginate/finder.rb:76:in `paginate'
/home/jaime/sincronizada/gor/app/controllers/presupuesto_proyectos_controller.rb:100:in `listado'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:1331:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:1331:in `perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:617:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:610:in `perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.3.5/lib/active_support/core_ext/benchmark.rb:17:in `ms'
/usr/lib/ruby/1.8/benchmark.rb:308:in `realtime'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.3.5/lib/active_support/core_ext/benchmark.rb:17:in `ms'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/benchmarking.rb:68:in `perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/rescue.rb:160:in `perform_action_without_flash'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/flash.rb:146:in `perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:532:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:532:in `process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/filters.rb:606:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:391:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/base.rb:386:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/routing/route_set.rb:437:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:87:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:121:in `_call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:130:in `build_middleware_stack'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/string_coercion.rb:25:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/string_coercion.rb:25:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/head.rb:9:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/methodoverride.rb:24:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/params_parser.rb:15:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/session/abstract_store.rb:122:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:29:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/query_cache.rb:34:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:9:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/query_cache.rb:28:in `call'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/connection_adapters/abstract/connection_pool.rb:361:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/failsafe.rb:26:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/lock.rb:11:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:114:in `call'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/reloader.rb:34:in `run'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.3.5/lib/action_controller/dispatcher.rb:108:in `call'
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/rack/static.rb:31:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:46:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:40:in `each'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/urlmap.rb:40:in `call'

/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/rack/log_tailer.rb:17:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/content_length.rb:13:in `call'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/handler/webrick.rb:50:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'
/usr/lib/ruby/gems/1.8/gems/rack-1.0.1/lib/rack/handler/webrick.rb:14:in `run'
/usr/lib/ruby/gems/1.8/gems/rails-2.3.5/lib/commands/server.rb:111
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:31:in `gem_original_require'
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:31:in `require'
script/server:3

Request

Parameters:

{"proyecto_id"=>"1",
"seccion"=>"proyectos"}

Show session dump

Response

Headers:

{"Content-Type"=>"",
"Cache-Control"=>"no-cache"}

Histórico

#1 - 2011-09-21 07:57 - Santiago Ramos

- Categoría establecido a Desarrollo
- Estado cambiado Nueva por Resuelta
- Asignado a establecido a Santiago Ramos
- Versión prevista establecido a 2.8
- % Realizado cambiado 0 por 100
- Tiempo estimado establecido a 1.00

La cabecera del campo del listado es

"partida.codigo_nombre " + @proyecto.id.to_s

así que hay que filtrar el proyecto.id para que no se envíe en el select. Se pone un regex para pillar el caso y dejarlo solo en partida.codigo